

## Homework #1

Read Chapter 0 in “Matrix Analysis” and learn as much as possible.

1. Determine the range- and the null-spaces of the matrix

$$A = \begin{bmatrix} 1 & 1 & 2 \\ 1 & 2 & 4 \end{bmatrix}$$

What are the dimensions of these spaces? What is the rank of  $A$ ?

2. Let  $A \in M_{m,n}(\mathbf{F})$  and  $B \in M_{p,n}(\mathbf{F})$ . Prove that

$$\text{nullspace}(A) \cap \text{nullspace}(B) = \text{nullspace} \begin{bmatrix} A \\ B \end{bmatrix}$$

3. Let  $A = [a_{ij}] \in M_{m,n}(\mathbf{C})$  and  $B \in M_{n,m}(\mathbf{C})$ . Show that  $\text{tr}(AB) = \text{tr}(BA)$  and that  $\text{tr}(AA^*) = \sum_{ij} |a_{ij}|^2$ .
4. Show that  $\det(I+AB) = \det(I+BA)$  where  $A$  and  $B$  may be rectangular matrices of appropriate dimensions. (Hint: You may use the Schur complement determinantal formulae.)
5. Verify the statement that  $y_2$  is orthogonal to  $z_1$  in Section 0.6.4 Gram-Schmidt orthonormalization. Make a graph illustrating the first step of the procedure. Use the fact that  $\langle y_2, y_2 \rangle \geq 0$  to prove the Cauchy-Schwarz inequality (in terms of  $x_2$  and  $y_1$ ). (There is a typo in the book  $v_1, \dots, v_n$  should be  $x_1, \dots, x_n$ .)
6. Prove the “push through rule:”

$$A(I_m + BA)^{-1} = (I_n + AB)^{-1}A$$

where inverses are assumed to exist,  $I_n$  is an  $n \times n$  identity matrix,  $A \in M_{n,m}(\mathbf{F})$  and  $B \in M_{m,n}(\mathbf{F})$ .