


Föreläsning 8

IE1332 Utveckling av elektronikprodukter


Kapitel 13

- Interface
- Filtrering

Differential och common mode på kablar



Returvägar för signalström



HF signal return currents A_{ret} and B_{ret} flow through their local twisted pair return path rather than through ground because this offers the lowest overall path inductance L_{ret}

Figure 13.2 Signal return current paths

Överhörning




Figure 13.3 Intra-cable crosstalk

Skärmning mot kapacitiv överhörning





Figure 13.4 Screening against capacitive crosstalk

Magnetisk skärmning – jordning av skärm



Jordning av skärm




Figure 13.6 Screen grounding arrangements versus circuit configuration

Kabelskärm vid RF




Figure 13.7 The cable screen at RF

Vanliga kabelskärmar





Figure 13.8 Common screen types

Olika typer av skärm



Jordning av skärm, RF




Figure 13.10 Cable screen connection methods at RF

Pigtail




Figure 13.11 The bane of the pigtail

Twisted pair





Figure 13.12 Equivalent circuit for coupling to twisted pair

Jordning flatkabel



Filterconfiguration





Figure 13.16 Filter configuration versus impedance

Parasitreaktanser



Lindning av spolar




Figure 13.18 Inductor winding techniques




Figure 13.19 The effect of filter layout

Ferriter




Figure 13.20 Ferrite impedance versus frequency and equivalent circuit

Kondensator med tre anslutningar




Figure 13.22 The three-terminal capacitor




Figure 13.23 Using three-terminal surface mount capacitors

Filtrering av nätspänning




Figure 13.25 Typical mains filter and its equivalent circuit

Common mode choke




Figure 13.26 The common mode choke