


A custom view

```
public class CustomView extends View {  
    public CustomView (Context context, AttributeSet attrs) {  
        super(context, attrs);  
        ...  
    }  
  
    public CustomView(Context context) {  
        this(context, null);  
    }  
  
    @Override  
    protected void onDraw(Canvas canvas) {  
        int w = this.getWidth(), h = this.getHeight();  
        ...  
        canvas.drawCircle(cx, cy, radius, paint);  
    }  
  
    ...  
}
```

The layout file, XML mode

```
<RelativeLayout  
    ...>  
  
<TextView  
    .../>  
  
    ...  
  
    → <se.kth.anderslm.myapp.CustomView  
        android:id="@+id/customView"  
        android:layout_width="fill_parent"  
        android:layout_height="fill_parent"  
        android:layout_below="@+id/textView1"  
        android:layout_centerHorizontal="true"  
        android:layout_marginTop="17dp" />  
  
</RelativeLayout>
```

The layout file, WYSIWYG mode



The corresponding Activity

```
public class MainActivity extends Activity {  
  
    @Override  
    protected void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_main);  
  
        theTextView1 = (TextView)  
            findViewById(R.id.textView1);  
        ...  
        → customView = (CustomView)  
            findViewById(R.id.customView);  
        ...  
    }  
}
```